

Wastewater Submersibles

Quick and Reliable Delivery.

We guarantee the fast delivery of our wastewater pumps in less than 5 working days in the mainland UK.



- Quick replacement
- Easy to install
- Fast turnaround
- Reducing downtime
- Extensive range of products
- Potential next day delivery

GRUNDFOS 

Possibility in every drop

SE/SL frame size 56 wastewater pumps

Transforming water, together



Cutting-edge reliability and energy efficiency

The ever-changing conditions in wastewater networks along with the continuous need to reduce OPEX and save energy create an increasing demand for reliable and energy-efficient wastewater pump solutions.

The new SE/SL frame size 56 is designed with the tough conditions caused by large amounts of fibres, rags and solids in mind. Fitted with the innovative and self-cleaning Open S-tube® impeller hydraulics and high efficiency IE4 motor components, and thoroughly tested in laboratories and real-life installations, the new and extended wastewater pump range offers cutting-edge reliability and market leading total efficiency. Efficiency which can easily be restored on-site using the innovative “Smart Trim” feature to counteract inevitable pump wear.

GRUNDFOS 

grundfos.co.uk

Possibility in every drop


Contents

GRINDER PUMPS	PRODUCT CODE	PAGE NUMBER	TABLE NO
SEG.40.09.2.1.502	99378054	4	1
SEG.40.09.E.Ex.2.1.502	92875452	4	1
SEG.40.12.E.Ex.2.1.502	92875455	4	2
SEG.40.12.E.2.1.502	99571672	4	2
SEG.40.12.2.1.502	99055007	4	2
SEG.40.12.E.Ex.2.Z.50B	92875424	4	2
SEG.40.15.2.1.502	99839799	5	1
SEG.40.15.E.Ex.2.Z.50B	92875443	5	1
SEG.40.15.2.50B	99052718	5	1
SEG.40.31.EX.2.50B	99151852	5	2
SEG.40.40.2.50B	98273413	5	3


VORTEX PUMPS	PRODUCT CODE	PAGE NUMBER	TABLE NO
SLV.80.80.11.4.50D.C	98954749	6	1
SLV.80.80.11.EX.4.50D.C	98727542	6	1
SLV.80.80.13.EX.4.50D.C	98723303	6	2
SLV.80.80.15.4.50D.C	99041026	7	1
SLV.80.80.15.EX.4.50D.C	98769806	7	1
SLV.80.80.22.EX.4.50D.C	98749530	7	2
SLV.80.80.22.4.50D.C	98710872	7	2
SLV.80.80.40.4.51D.C	98911174	8	1
SEV.80.80.13.4.50D	99608730	8	2
SEV.80.80.22.4.50D	98249652	9	1
SEV.80.80.22.A.EX.4.50D	99589982	9	1

S-TUBE PUMPS	PRODUCT CODE	PAGE NUMBER	TABLE NO
SL1.80.80.15.4.50D.C	99029751	10	1
SL1.80.80.15.EX.4.50D.C	98720817	10	1
SL1.80.80.22.4.50D.C	98742103	10	2
SL1.80.80.22.EX.4.50D.C	98702722	10	2
SL1.80.100.15.EX.4.50D.C	98846044	11	1
SL1.80.100.22.EX.4.50D.C	98720819	11	2
SL1.80.100.22.4.50D.C	98779230	11	2
SL1.80.100.30.4.50D.C	98711691	12	1
SL1.80.100.30.EX.4.50D.C	99013453	12	1
SL1.80.100.40.EX.4.51D.C	98720820	12	2
SL1.80.100.55.4.51D.C	98978006	13	1
SL1.80.100.55.EX.4.51D.C	98808534	13	1
SL1.100.100.55.4.51D.C	98926737	13	2
SL1.100.150.75.4.51D.C	98724804	14	1
SL1.100.150.75.EX.4.51D.C	98763700	14	1


PUMP MODEL GRINDER	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SEG.40.09.2.1.502	99378054	DN40	1	N	N	0.9	6	38
SEG.40.09.E.Ex.2.1.502	92875452	DN40	1	Y	Y	0.9	8.1	38




PUMP MODEL GRINDER	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SEG.40.12.E.Ex.2.1.502	92875455	DN40	1	Y	Y	1.2	8.2	38
SEG.40.12.E.2.1.502	99571672	DN40	1	N	Y	1.2	8	38
SEG.40.12.2.1.502	99055007	DN40	1	N	N	1.2	8	38
SEG.40.12.E.Ex.2.Z.50B	92875424	DN40	3	Y	Y	1.2	3.2	21




PUMP MODEL GRINDER	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SEG.40.15.2.1.502	99839799	DN40	1	N	N	1.5	12	33
SEG.40.15.E.Ex.2.Z.50B	92875443	DN40	3	Y	Y	1.5	1.9	21
SEG.40.15.2.50B	99052718	DN40	3	N	N	1.5	4	21




PUMP MODEL GRINDER	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SEG.40.31.Ex.2.50B	99151852	DN40	3	Y	N	3.1	7	43




PUMP MODEL GRINDER	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SEG.40.40.2.50B	98273413	DN40	3	N	N	4	8	43




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SLV.80.80.11.4.50D.C	98954749	DN80	3	N	N	1.1	2.9	19
SLV.80.80.11.EX.4.50D.C	98727542	DN80	3	Y	N	1.1	2.9	19




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SLV.80.80.13.EX.4.50D.C	98723303	DN80	3	Y	N	1.3	3.8	29




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SLV.80.80.15.4.50D.C	99041026	DN80	3	N	N	1.5	3.9	29
SLV.80.80.15.EX.4.50D.C	98769806	DN80	3	Y	N	1.5	3.9	29




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SLV.80.80.22.EX.4.50D.C	98749530	DN80	3	Y	N	2.2	5.4	38
SLV.80.80.22.4.50D.C	98710872	DN80	3	N	N	2.2	5.4	38




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SLV.80.80.40.4.51D.C	98911174	DN80	3	N	N	4	9.6	65




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SEV.80.80.13.4.50D	99608730	DN80	3	N	N	1.3	3.8 - 3.9	22




PUMP MODEL VORTEX	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT
SEV.80.80.22.4.50D	98249652	DN80	3	N	N	2.2	6.0	32
SEV.80.80.22.A.EX.4.50D	99589982	DN80	3	Y	N	2.2	6.0	32




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.80.15.4.50D.C	99029751	DN80	3	N	N	1.5	3.9	29
SL1.80.80.15.EX.4.50D.C	98720817	DN80	3	Y	N	1.5	3.9	29




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.80.22.4.50D.C	98742103	DN80	3	N	N	2.2	5.4	38
SL1.80.80.22.EX.4.50D.C	98702722	DN80	3	Y	N	2.2	5.4	38




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.100.15.EX.4.50D.C	98846044	DN100	3	Y	N	1.5	3.9	29




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.100.22.EX.4.50D.C	98720819	DN100	3	Y	N	2.2	5.4	38
SL1.80.100.22.4.50D.C	98779230	DN100	3	N	N	2.2	5.4	38




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.100.30.4.50D.C	98711691	DN100	3	N	N	3	6.9	45
SL1.80.100.30.EX.4.50D.C	99013453	DN100	3	Y	N	3	6.9	45




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.100.40.EX.4.51D.C	98720820	DN100	3	Y	N	4	9.6	65




PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.80.100.55.4.51D.C	98978006	DN100	3	N	N	5.5	10.9	81
SL1.80.100.55.EX.4.51D.C	98808534	DN100	3	Y	N	5.5	10.9	81



PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.100.100.55.4.51D.C	98926737	DN100	3	N	N	5.5	10.9	81



PUMP MODEL S-TUBE	PRODUCT CODE	OUTLET SIZE	1 OR 3 PHASE	ATEX	AUTO ADAPT	RATED POWER kW	RATED CURRENT AMP	STARTING CURRENT AMP
SL1.100.150.75.4.51D.C	98724804	DN150	3	N	N	7.5	14.4	111
SL1.100.150.75.EX.4.51D.C	98763700	DN150	3	Y	N	7.7	14.4	111



Easy to Service Pumps

Restoring Performance and Extending Asset Life.

Rationalised Consumable Spares for Stocked Ranges.

DESCRIPTION GRINDER	SEG.40 0.9 - 4.0 kW	
	2 -POLE	
Rationalised Spares Kits	0.9 - 1.5 kW	2.6 - 4.0 kW
Shaft Seal	96076122	96645160
O-Ring Kit (NBR)	96076124	96076125
Bearing Kit	98682341	96690710
GRINDER HEAD KIT		
	40mm	
Grinder Head Kit	96076121	

DESCRIPTION S-TUBE & VORTEX	SL1/SLV 1.1 - 5.5 kW	
	4 -POLE	
Rationalised Spares Kits	1.1 - 2.2 kW	3.0 - 5.5 kW
Shaft Seal	96102360	96102361
O-Ring Kit	96873520	96873542
Bearing Kit	96690703	96904928
WEAR RINGS SL1		
	80mm	100mm
Wear Rings SL1	96102363	96102364

DESCRIPTION VORTEX	SEV.80 1.1 - 2.2 kW	
	4 -POLE	
Rationalised Spares Kits	1.1 - 2.2 kW	3.0 - 5.5 kW
Shaft Seal	96102360	96102361
O-Ring Kit	96102367	96102369
Bearing Kit	96690703	96690704

Transforming water, together with Grundfos solutions

We help you adapt more sustainable, intelligent, and optimised water management solutions without ever compromising on system reliability and uptime. Offering an end-to-end portfolio covering the entire water cycle, we deliver the intelligent pumps, systems, and services you need to revolutionise water use in water supply, wastewater, and groundwater & irrigation applications.